

Appendix EJ-2:

EJScreen Standard Report 1-Mile Radius


1 mile Ring around the Corridor, CALIFORNIA, EPA Region 9

Approximate Population: 11,739

Input Area (sq. miles): 3.67

410 Airport Blvd + 1 mi (The study area contains 1 blockgroup(s) with zero population.)

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	41	45	67
EJ Index for Ozone	39	42	64
EJ Index for NATA* Diesel PM	44	49	69
EJ Index for NATA* Air Toxics Cancer Risk	41	43	66
EJ Index for NATA* Respiratory Hazard Index	49	53	73
EJ Index for Traffic Proximity and Volume	75	77	91
EJ Index for Lead Paint Indicator	21	18	45
EJ Index for Superfund Proximity	41	47	69
EJ Index for RMP Proximity	40	45	67
EJ Index for Hazardous Waste Proximity	40	44	66
EJ Index for Wastewater Discharge Indicator	82	83	91



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

1 mile Ring around the Corridor, CALIFORNIA, EPA Region 9

Approximate Population: 11,739

Input Area (sq. miles): 3.67

410 Airport Blvd + 1 mi (The study area contains 1 blockgroup(s) with zero population.)



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0

EJSCREEN Report (Version 2017)

1 mile Ring around the Corridor, CALIFORNIA, EPA Region 9

Approximate Population: 11,739

Input Area (sq. miles): 3.67

410 Airport blvd + 1 mi (The study area contains 1 blockgroup(s) with zero population.)

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	10.3	10.6	41	9.9	53	9.14	78
Ozone (ppb)	30.3	40.8	2	41.8	2	38.4	1
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	0.907	0.973	52	0.978	50-60th	0.938	60-70th
NATA* Cancer Risk (lifetime risk per million)	48	44	68	43	60-70th	40	70-80th
NATA* Respiratory Hazard Index	4.5	2.1	97	2	95-100th	1.8	95-100th
Traffic Proximity and Volume (daily traffic count/distance to road)	4100	1200	92	1100	92	590	97
Lead Paint Indicator (% Pre-1960 Housing)	0.46	0.29	70	0.24	75	0.29	73
Superfund Proximity (site count/km distance)	0.063	0.17	40	0.15	46	0.13	51
RMP Proximity (facility count/km distance)	0.22	1.1	27	0.98	32	0.73	42
Hazardous Waste Proximity (facility count/km distance)	0.034	0.13	26	0.12	28	0.093	36
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0.0041	16	74	13	74	30	75
Demographic Indicators							
Demographic Index	37%	49%	33	47%	36	36%	59
Minority Population	49%	61%	35	59%	39	38%	67
Low Income Population	24%	36%	37	36%	36	34%	38
Linguistically Isolated Population	11%	10%	64	9%	68	5%	85
Population With Less Than High School Education	8%	18%	34	17%	36	13%	41
Population Under 5 years of age	6%	7%	48	7%	48	6%	52
Population over 64 years of age	11%	12%	51	13%	50	14%	40

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.